

ACCESSION #: AF5024601

It was found that the magnitude of the "equilibrium" elasticity is affected by the nature of the principal monomer, its molecular weight, number of single bonds, the cross-linking agent, and the molar content of the latter. The softening point of the copolymers is a direct linear function of η . Possible structures for these materials based on the information of their chemical composition, are discussed. Comparative analysis of the properties of the ideal lattices with effective number of atoms per unit cell of the solid state, and the corresponding properties of the corresponding polymers is presented. The number of atoms per unit cell of the polymer, N_{p} , etc., was 6 figures. There were 2 formulas.

ASSOCIATION: Institut vysokomolekulovych soedineniy, AN SSSR (Institute of High-Molecular Compounds, AN SSSR)

SUBMITTER: 16Oct64 ENCL: 00

OTHER: 016

NO REF COV: 007

Card 2/2

ZAKHAROV, S.K.; KUVSHINSKIY, Ye.V.

Automatic device for determining the temperature of softening
of polymers by penetration. Zav. lab. 30 no.11:1399-1401 '64
(MIRA 18:1)

1. Institut vysokomolekulyarnykh soyedineniy AN SSSR.

S/122/60/000/007/005/011
A161/A029

AUTHORS:

Bessonov, M.I., Engineer; Zakharev, S.K., Engineer; Kuvshinsky, Ye.V., Doctor of Physics and Mathematics

TITLE:

Experience in Determining the Mechanical Properties of Plastics in Microspecimens ✓

PERIODICAL:

Vestnik mashinostroyeniya, 1960, No. 7, pp. 41 - 45

TEXT: A new mechanical test system for plastics, requiring specimens of only 30 to 50 g (100 times less than in the existing test methods), has been developed by Institut vysokomolekulyarnykh soedineniy AN SSSR (High-Molecular Compounds Institute of the AS USSR) in cooperation with industrial institutes. The test system includes tests for softening temperature, specific impact resistance and tension, and, for specific cases, for creep and long-time strength (Ref. 2). The specimens are disks of 10 mm in diameter and 4 or 2 mm thick, 10x10x4 and 15x10x4 mm plates, and two-lateral blades of 15 to 35 mm long, up to 4 mm wide and with 8 mm transition radii. The softening point is determined in an IUPIT (IPP) apparatus (Fig. 1) developed by A.P. Aleksandrov and Yu.S. Lazurkin and built in the workshops of Institut fizicheskikh problem AN SSSR (Institute of Physical

Card 1/3

S/122/60/000/007/005/011
A161/A029

Experience in Determining the Mechanical Properties of Plastics in Microspecimens

Problems of the AS USSR). The apparatus consists of a copper tray with eight cavities for specimens, a heater placed between the tray and the asbestos cover, a resistance thermometer of 0.1 mm nickel wire wound on mica, an asbestos-lined hood and a support with dial indicator. The thermostatic system is illustrated by a diagram (Fig. 1b). The test consists in determining the penetration depth of a needle (Fig. 2). The curve shape, as in this graph, shows the difference between a "linear" plastic, like organic glass, and "three-dimensional", like eb-onite and escapon. The softening point is easily found for the "linear" plastics, only approximately for "loosely joined" (escapon) and not at all for "firmly joined". The "IPP" test takes 4 - 8 h. Impact resistance is tested with a "Din-stat" pendulum frame described in a French source (Ref. 4) on a plate specimen; the tension test machine is shown in a diagram (Fig. 4) and is used for finding the normal modulus of elasticity, relative elongation in rupture, etc. As is known, the mechanical characteristics of plastics very considerably depend on the speed with which the load is applied, and on temperature, but there is yet no industrial machinery for determining such characteristics on "microspecimens" and the described special machine (Fig. 4) had to be built. Detailed design descrip-

Card 2/3

3/122/60/000/007/005/011
A161/A029

Experience in Determining the Mechanical Properties of Plastics in Microspecimens

tion is given. Figure 4b shows pickups of the machine connected into a bridge fed from a "3Г-10" (ZG-10) sound generator by 6 volt current with a 5,000 cycles frequency. The bridge unbalance is proportional to the applied load and is amplified. The applied force ranges are 0 - 5 kg, 15 - 30 kg and 60 - 200 kg, the accuracy is within 1% of the limit load; the thermostatic and cryostatic system makes possible tests in a temperature range between -120 and +250°C. The elongation diagram is recorded on tape. As can be seen in two graphs (Fig. 6), where the results of tests with normal and "micro"-specimens on organic glass and ebonite are compared, the "microspecimens" show practically the same results. It is mentioned that the new test system is analogous to the tests described in Reference 1. The tests are in use since 1954. There are 6 figures and 5 references: 2 Soviet, 2 English and 1 French.

Card 3/3

BESSONOV, M.I., inzh.; ZAKHAROV, S.K., inzh.; KUVSHINSKIY, Ye.V., doktor
fiz.-matem.nauk

Using microspecimens for studying the mechanical properties of
plastics. Vest.mash. 40 no.7:41-45 Jl '60. (MIRA 13:7)
(Plastics--Testing)

ARBUZOVA, I.A.; MEDVEDEVA, L.I.; ZAKHAROV, S.K.

Synthesis of glycol esters of methacrylic acid. Zhur. prikl.
khim. 36 no.8:1833-1837 Ag '63. (MIRA 16:11)

1. Institut vysokomolekulyarnykh soyedineniy AN SSSR.

ZAHAROV, G. X., KEMONOV, M. I., KUVSHINOV, E. V. and LEVINEV, G. A.

"Mechanical Rupture of Hard Polymer Materials."

report presented at the Conf. on Mechanical Properties of Non-Metallic Solids,
Leningrad, USSR, 19-26 May 1958

Inst. of High Molecular Compounds, Acad. Sci. USSR, Leningrad.

KUVSHINSKIY, Ye.V.; BESSONOV, M.I.; ZAKHAROV, S.E.; SIDOROVICH, A.V.;
GUBENKO, A.B.; PANFEROV, E.V.; GUL', V.Ye.; LOMAEIN, V.A.;
TSIPES, L.Ya.; CHERNYAKINA, A.F.; SAKHNOVSKIY, Z.L.; SECHERBAK,
P.N.; AL'SHITS, I. Ya.

Answers to the inquiry concerning the determination of the physical
and mechanical properties of plastics. Zav.lab. 26 no.1:7-28
'60. (MIRA 13:5)

1. Institut vysokomolekulyarnykh soyedineniy AN SSSR. (for Kuvshinsky Bessonov, Zakharov, and Sidorovich).
2. TSentral'nyy nauchno-issledovatel'skiy institut stroitel'nykh konstruktsiy (for Gubenko and Panferov).
3. Moskovskiy institut tonkoy khimicheskoy tekhnologii imeni M.V.Lomonosova (for Gul').
4. Moskovskiy gosudarstvennyy universitet imeni M.V. Lomonosova. Problemnaya laboratoriya fiziko-mekhanicheskikh svoystv polimerov (for Lomakin).
5. Zavod "Karbolit" (for Tsipes, Chernyakina and Sakhnovskiy).
6. Gosudarstvennyy nauchno-issledovatel'skiy institut polimerizatsionnykh plastmass (for Shcherbak).
7. TSentral'nyy nauchno-issledovatel'skiy institut tekhnologii i mashinostroyeniya (for Al'shits).

(Plastics--Testing)

ZAKHAROV, S. K., G. A. LEBEDEV, Ye. A. KUVSHINSKIY and M.I. BESSCHOV

"The Strength of Amorphous Bodies, Especially Polymers."

report presented at the Conference on Investigation of Mechanical Properties of Non-Metals, by the Intl. Society of Pure and Applied Physics and the AS USSR,
at Leningrad, 19-24 May 1958.
(Vest. Ak Nauk SSSR, 1958, no. 9, pp. 109-111)

15 (3), 28 (5)

AUTHORS:

Kuvshinskiy, Ye. V., Bessonov, M. I.,
Zakharov, S. K., Sidorovich, A. V.

S/032/60/026/01/003/052
B010/B123

TITLE:

Answers to the Inquiry About the Test Methods of the Physical
and Mechanical Properties of Plastics

I

PERIODICAL:

Zavodskaya laboratoriya, 1960, Vol 26, Nr 1, pp 7 - 8 (USSR)

ABSTRACT:

The test method and the dynstat type apparatus (Ref 1) may be recommended for the evaluation of the brittleness of plastics. In the institute of the authors successful tests on micro-samples were carried out (Ref 2), which can be further recommended. For determining the connection of the structure of plastics and their physical and mechanical properties, the facts have to be considered: If the influence of the structure upon a certain property is to be evaluated, the characteristics of only this property may be determined. If, however, differences of two (or more) plastics are to be investigated, the thermomechanical properties must be investigated within a wide temperature range and with varying stresses. Tensile strength during expansion (and bending) is only to be

Card 1/2

Answers to the Inquiry About the Test Methods of
the Physical and Mechanical Properties of Plastics I

S/032/60/024/01/003/052

E010/B123

determined at a single standard deformation rate (but not load rate) which can be easily reproduced. At the same time the durability and creep is to be determined of plastic. For determining the heat resistance of plastic the upper limit of temperature of usability of finished products should be fixed and not of the plastic itself, as it depends on the purpose of usability of the finished product. Therefore, the determination technique cannot be universal. The existing apparatus for determining the heat resistance of plastics (Martens, Vick) are technically imperfect and must be substituted by new and modern constructions. The indirect evaluation method of the density determination can be regarded as simple and universal method of determining the degree of crystallization. There are 6 references, 5 of which are Soviet.

ASSOCIATION: Institut vysokomolekulyarnykh seyedineniy AN SSSR
(Institute of High Molecular Compounds of the AS USSR)

Card 2/2

"APPROVED FOR RELEASE: 03/15/2001

CIA-RDP86-00513R001963520018-6

ZAKHAROV, S.K.; MEDVEDEVA, L.I.; ARBUZOVA, I.A.; KUVSHINSKIY, Ye.V.

Softening, high-elastic resilience, and structure of space-polymers of methyl methacrylate and styrene with diolefinic monomers. Vysokom. soed. 7 no.9;1554-1561 S '65.

(MIRA 18:10)

1. Institut vysokomolekulyarnykh soyedineniy AN SSSR.

APPROVED FOR RELEASE: 03/15/2001

CIA-RDP86-00513R001963520018-6"

ZAKHAROV, S.M.

Ship repairs at the "Fortieth Anniversary of October" Plant.
Rech.transp. 18 no.12:22-23 D '59. (MIRA 13:4)

1. Glavnnyy inzhener zavoda imeni 40 godovshchiny Oktyabrya.
(Ships--Maintenance and repair)

NASYROV, R.A., kand.tekhn.nauk; SEMISAZHENOVA, A.A., inzh.;
ZAKHAROV, S.M., inzh.

Results of the study of oil coolers for the pistons of 2D100
diesel engines. Vest. TSNII MPS 20 no.6:21-24 '61. (MIRA 14:10)
(Diesel engines—Cooling)

"APPROVED FOR RELEASE: 03/15/2001

CIA-RDP86-00513R001963520018-6

ZAKHAROV, S.M.

Technical and economic indices of the operation of Krivoy Rog
Basin ore dressing plants. Mat. i gornorud. prom. no.6:58-60
(MIRA 18:3)
N-D '64.

APPROVED FOR RELEASE: 03/15/2001

CIA-RDP86-00513R001963520018-6"

YEGUNOV, P.M., kand. tekhn. nauk; ZELENETSKAYA, I.S., kand. tekhn.;
NASTIROV, R.A., kand. tekhn. nauk; SEMISAZHENOVA, A.A., kand.
tekhn. nauk; ZAKHAROV, S.M., inzh.

Effect of the lubricant viscosity on the basic characteristics
of the performance of 2D100 diesel locomotives. Vest. TSNII MPS
23 no.8:26-30 '64 (MIRA 18:2)

ZAKHAROV, S.M., inzh.

Hydrodynamic systems for the lubrication of 2D100 diesel
engine bearings. Vest. TSNII MPS 24 no.2:25-28 '65.
(MIRA 18:5)

ZAKHAROV, S.M.

Determining the growth of labor productivity in ore
dressing plants. Met. i gorrorud. prom. no.3:63-64
My-Je '65. (MITRA 18:11)

8(5)

SOV/105-59-10-2/25

AUTHORS: Vaag, L. A., Candidate of Technical Sciences, Docent,
Makherov, S. M., Engineer

TITLE: Consideration of Time Differences in Capital Investments and
Operating Costs When Comparing Alternative Schemes for the
Construction of Power Plants

PERIODICAL: Elektrичество, 1959, Nr 10, pp 8-15 (USSR)

ABSTRACT: When comparing alternative schemes for the establishment of power plants from the economic point view, it is recommended for the time being to make such comparisons by the method of redemption period. It should be considered here that not the total amount is invested immediately, but within several years. The building terms, the order of investments, and the variations of the annual production costs are to be taken into account. The authors present a method which takes full account of the influence exerted by time upon the economy of the objects to be compared. The method is based on the successive development of the principle of reiempment. Before employing formula (1) of the method of redemption period, capital investments are to be calculated according to formulas (2) and (4). Formula (2) yields the total building and erection costs

Card 1/2

Consideration of Time Differences in Capital Investments SOV/105-59-10-2/25
and Operating Costs When Comparing Alternative Schemes for the Construction of
Power Plants

within a given building year, while formula (4) indicates the total building costs for the time at which work has been finished. The building costs are compared with the future operating costs according to formula (1). Formula (5) is then written down. It allows for a determination of the capital investments for the object concerned according to any of the variations under discussion. Finally, formula (10) is written down. However, it holds only for the case in which each variation ensures the same energy output. Otherwise it is necessary to base calculations on formula (5). There are 4 figures and 5 Soviet references.

ASSOCIATION: Moskovskiy energeticheskiy institut (Moscow Institute of Power Engineering)

SUBMITTED: May 30, 1959

Card 2/2

NASYROV, R.A., kand.tekhn.nauk; SEMISAZHENOVA, A.A., kand.tekhn.nauk;
ZAKHAROV, S.M., inzh.

Investigating the cooling of pistons and lubricant distribution
in the 2D100 diesel engine. Trudy TSNII MPS no.262-2L-35 '53.
(MIRA 16:10)

ZAKHAROV, S. N.

Metodika vnedreniia statisticheskogo kontrolya v avtomatnykh tsekhakh mashinostroitel'nogo zavoda. (Vestn. Mash., 1949, no. 12, p.62-67)

Methods of introducing statistical control in automatic machine shops of machine-building plants.

DLC: TNL, VL

SO: Manufacturing and Mechanical Engineering in the Soviet Union, Library of Congress, 1953.

ZAKHAROV, S. N.

ZAKHAROV, S. N. - "Investigation of the Influence of Errors of the Elements of a Tight Thread on the Exertion in Bolting and the Quality of the Thread Coupling." Min Higher Education USSR, Moscow Order of Lenin Aviation Inst. imeni Sergo Ordzhonikidze, Moscow, 1955
(Dissertation for the Degree of Candidate in Technical Sciences)

SO: Knizhnaya Letopis', No. 33, 1955, pp 85-87

ZAKHAROV, S.N., kandidat tekhnicheskikh nauk.

Investigating the effect of defects in tight thread components on
forces exerted in screwing and on the quality of thread engage-
ments. Trudy MAI no.70:113-142 '56. (VLEM. 9:12)
(Screw threads)

AUTHOR: Zukharov, S.N., Candidate of Technical Sciences 26-58-5-9/39

TITLE: Errors in the Application of the Standard for the Tolerances of Thread Gages (Oshibki pri primeneni standarta na dopuski rez'bovykh kalibrov)

PERIODICAL: Standartizatsiya, 1958, Nr 3, pp 31-32 (USSR)

ABSTRACT: The author points out misinterpretations of a part of "GOST 1623-46" (the standard for screw thread gages), leading to rejections of thread gages which actually are good. The contradictory wording of Paragraph 17 and a note to Section 4 of the "GOST" are the cause of misinterpretations of the permissible deviations of the half profile angle. There are 2 figures.

ASSOCIATION: Moskovskiy aviatcionnyy institut (Moscow Institute of Aviation)

Card 1/1

1. Standards--Errors 2. Thread gages--Applications

ZAKHAROV, S. N.; BRONSHTEYN, A. M.; BRON, O. B.; KAPLAN, V. V.; AKHODIS, M. M.; BUTKEVICH, G. V.; MASLENNIKOV, D. S.; RUDNYY, V. M.

"Some Problems of Constructing High Power Circuit-Breakers."

report submitted for Intl Conf on Large Electric Systems, 20th Biennial Session, Paris, 1-10 Jun 64.

"APPROVED FOR RELEASE: 03/15/2001

CIA-RDP86-00513R001963520018-6

ZAKHAROV, S.N.

Functional interchangeability of tight threaded joints. Vzaim.
i tekhn. izm. v mashinostr.; nauch.-tekhn. sbor. no.4:158-170 '64
(MIRA 18:1)

APPROVED FOR RELEASE: 03/15/2001

CIA-RDP86-00513R001963520018-6"

ATABEKOV, G.I.; BELOUsov, M.M.; BULGAKOV, K.V.; VASIL'YEV, D.V.;
YEGIZAROV, I.V.; ZAKHAROV, S.N.; ZEYLIDZON, Ye.D.; KGOSTENKO, M.P.;
MANOYLOV, V.Ye.; NARMEVSKIY, B.I.; RYZHOV, P.I.; SOLOV'YEV, I.I.;
SYROMYATNIKOV, I.A.; FABRIKANT, V.L.; CHERNIN, A.B.; CHERNEGBROV, N.V.;
FEDOSEYEV, A.M.; SHABADASH, B.I.; SHCHEDRIN, N.N.;
FATEYEV, A.V.

Viktor Ivanovich Ivanov, 1900-1964; ar obituary. Elektrichestvo
no.11:89 N '64. (MIRA 18:2)

"APPROVED FOR RELEASE: 03/15/2001

CIA-RDP86-00513R001963520018-6

ZAKHAROV, S.N., kand. tekhn. nauk

Interchangeability of tightened threaded joints. Standartizatsiya
29 no.2:15-19 F '65. (MIRA 18:4)

1. Moskovskiy aviationsionnyy institut.

APPROVED FOR RELEASE: 03/15/2001

CIA-RDP86-00513R001963520018-6"

AYZENBERG, I.S.; ARONOVICH, I.S.; AFANAS'YEV, V.V.; BRON, O.B.; BUTKEVICH, G.V.;
GOLUBEVA, V.P.; GURVICH, V.V.; ZALESSKIY, A.M.; ZAKHAROV, S.N.;
KAPLAN, V.V.; KOCHENOVA, A.I.; KUKEKOV, G.A.; LISOV, N.Ye.; MEDVED-
SKIY, I.K.; MESSERMAN, G.T.; PETROVA, T.G.; FILIPPOV, Yu.A.;
KHOLYAVSKIY, G.E.; SHERAUD, M.Ye.; SHKLYAR, B.N.

L.K. Greiner. Elektrotehnika 35 no.2:p.3 of cover F '64.
(MIRA 17:3)

BRON, O. B.; BRONSHTEYN, A. M.; BUTKEVICH, G. V.; ZAKHAROV, S. N.; KAPLAN, V. V.; AKODIS,
M. M.; MASLENNIKOV; RUDNYY, V. M.

"Some Problems of Constructing High Power Circuit-Breakers."

report submitted for 20th Biennial Sess, Intl Conf on Large Electric Systems, Paris,
1-10 Jun 64.

GANEVSKIY, Grigoriy Markovich; ZAKHAROV, S.N., nauchni. red.;
ROMANOV, B.V., red.; NESVYSLOVA, L.M., tekhn. red.

[Brief manual on the organization and conducting of laboratory work in the course "Allowances and technical measurements"] Kratkoе rukovodstvo po organizatsii i povedeniu laboratornykh rabot po kursu "Dopuski i tekhnicheskie izmerenija." Moskva, Proftekhizdat, 1963. 55 p.
(MIRA 17:4)

"APPROVED FOR RELEASE: 03/15/2001

CIA-RDP86-00513R001963520018-6

ZAKHAROV, S.N., kand. tekhn. nauk, dotsent

Values of the friction coefficient in light threaded joints.
Vest. mashinostr. 43 no.10:24-26 O '63. (MIRA 16:11)

APPROVED FOR RELEASE: 03/15/2001

CIA-RDP86-00513R001963520018-6"

ZAKHAROV, S.N., kand.tekhn.nauk; KAPLAN, V.V., inzh.; IONOV, V.V., inzh.;
OSIPOVA, T.V., inzh.; SHERMAN, Ya.H., inzh.; SHESHIN, B.A., inzh.

New MG-10 and MG-20 generator switches. Vest. elektroprom. 32 no.3:
71-76 Mr '61. (MIRA 15:6)
(Electric switchgear)

VAAAG, Leonid Aleksandrovich; ZAKHAROV, Stanislav Nikolayevich;
ROZOVSKIY, L.Ya., red.; YENZHIN, V.V., tekhn. red.

[Methods for economic valuation in power engineering]Me-
tody ekonomicheskoi otsenki v energetike. Moskva, Gosenergo-
izdat, 1962. 271 p.
(Power engineering--Costs)

ZAKHAROV, S.N.

Endemic goiter in the village of Bayangol in the Zakanensk District
of the Buryat A.S.S.R. Sov.med. 25 no.1:139-140 Ja '62.

(MIRA 15:4)

1. Iz uchastkovoy bol'nitsy (glavnyy vrach V.A.Shlyakhova) Zakanenskogo
rayona Buryatskoy ASSR.

(BAYANGOL--GOITER)

ZAKHAROV, S.N. (Leningrad)

Floating crane for stacking heavy reinforced concrete loads.
Stroi. truboprov. 6 no.3:24-25 Mr '61. (MIRA 14:3)

1. Glavnnyy mekhanik stroitel'nogo uchastka No.7 tresta
Mosgazprovstroy.

(Cranes, derricks, etc.)

VESELOVSKIY, A.I.; GLUKHOVTSEV, S.A.; ZAKHAROV, S.N.; KRIVONOSOV, L.N.;
GRIGOR'YEVA, A.I., red.; KARYAKINA, M.S., tekhn.red.

[Ship models] Morskoi modelizm. Moscow, Izd-vo DOSAAF, 1960.
316 p. (MIRA 13:11)

(Ship models)

ZAKHAROV, S. N.

Translation from: Referativnyy Zhurnal, Elektrotehnika, 1957, Nr 2, p. 123 (USSR) 112-2-3360D

AUTHOR: Zakharov, S. N.

TITLE: Development of and Research on Methods of Testing Electrical Apparatus for Thermal and Electrodynamic Stability (Razrabotka i issledovaniye metodov ispytaniya elektricheskikh apparatov na termicheskuyu i elektrodinamicheskuyu ustoychivost')

ABSTRACT: Bibliographic entry on the author's dissertation for the degree of Candidate of Technical Sciences presented to the All-Union Electrical Engineering Institute (Vses. elektrotekhn. in-t), Moscow, 1956.

ASSOCIATION: The All-Union Electrical Engineering Institute (Vses. elektrotekhn. in-t).

Card 1/1

8(0)

SOV/105-59-5-26/29

AUTHORS: Ginzburg, S. G., Greynor, L. K., Zakharov, S. N.,
Kaplyanskiy, A. Ye., Neiman, L. R., Netushil, A. V., Petrov,
L. S., Pines, G. Ya., Polivanov, K. M., Savenko, V. G., et al

TITLE: Vladimir Borisovich Romanovskiy

PERIODICAL: Elektrichestvo, 1959, Nr 5, p 93 (USSR)

ABSTRACT: On January 13, 1959, Vladimir Borisovich Romanovskiy, Professor, Doctor of Technical Sciences, died at the age of 63. He started his activity as an engineer in the design office of the "Elektroapparat" Works in 1926. Soon he became head of the works laboratory. Since 1937, he was head of the Chair of Theoretical Electrotechnics at the Leningradskiy elektrotehnicheskiy institut svyazi im. M. A. Bonch-Bruyevicha (Leningrad Communications Electrical Engineering Institute imeni M. A. Bonch-Bruyevicha). At the same time, he maintained his relations to the works where he was a counsel, chief electrical engineer and a permanent member of the technical council. He is one of the founders of the theoretical principles for the building of high-voltage apparatus. At the chair he was occupied with calculations of transition processes in electric current circuits which were also the subject of his doctoral thesis. He published more than 40 scientific papers.

Card 1/2

Vladimir Borisovich Romanovskiy

SOV/105-59-5-26/29

He bore the Badge of Honor and varicous medals. There is 1 figure.

Card 2/2

BOCHAROV, N.F.; KRADINOV, Ye.B.; GUSEV, V.I.; ZAKHAROV, S.P.; ABRAMOVA, E.Ye.

Investigating the performance of tubeless tires on sand ground.
Kauch. i rez. 21 no.3:35-40 Mr '62. (MIRA 15:4)

1. Moskovskoye vysheye tekhnicheskoye uchilishche imeni N.E.
Baumana i Nauchno-issledovatel'skiy institut shinoi promyshlennosti.
(Tires, Rubber--Testing)

BIDERMAN, Vadim L'vovich; GUSLISSER, Ruvim L'vovich; ZAKHAROV,
Sergey Petrovich; NENAKHOV, Boris Viktorovich;
SELEZNEV, Ivan Ivanovich; TSUKERBERG, Solomon Maksimovich;
BUKHIN, B.L., red.; KOGAN, V.V., tekhn. red.

[Motor-vehicle tires; design, construction, testing, and
operation] Avtomobil'nye shiny i konstruktsiya, raschet,
ispytanie, ekspluatatsiya. [By] V.L.Biderman i dr. Mo-
skva, Goskhimizdat, 1963. 382 p. (MIRA 16:12)
(Motor vehicles--Tires)

BOCHAROV, N.F., kand.tekhn.nauk; SHARIKYAN, Yu.E.; KRADINOV, Ye.B., inzh.;
SAKHAROV, Yu.S., inzh.; ZAKHAROV, S.P., kand.tekhn.nauk; AERAMOVA,
E.Ye., inzh.

Designing equipment for manufacturing 1,000 x 1,000 x 250 roller-type pneumatic tires. Izv. vys. ucheb. zav.; mashinostr. no.3:83-87 '61. (MIRA 14:5)

1. Moskovskoye vyssheye tekhnicheskoye uchilishche imeni Baumana
Nauchno-issledovatel'skiy institut shchinnoy promyshlennosti.
(Tires, Rubber)

ZAKHAROV, S.P.; ANIKANOVA, K.F.

Tires for agriculture. Kauch. i rez. 20 no. 4:1-3 Ap '61.
(MIRA 14:5)

1. Nauchno-issledovatel'skiy institut shinnoy promyshlennosti.
(Tractors—Tires)

DESIDLEY, L.V.; ZAKHAROV, S.F.

Future development of automobile tire production. Kauch, i rez.
20 no.10:18-23 0 '61. (MIRA 14'12)

1. Nauchno-issledovatel'skiy institut shinoi promyshlennosti.
(Automobile---Tires) (Tires, Rubber)

TSUKERBERG, S.M.; ZAKHAROV, S.P.; MIKAKHOT, B.V.; ABRAMOVA, E.Ye.;
ZDIEV, Yu.S., red.; KUPERMAN, F.Ye., red.; SPERANSKIYAYA, A.A.,
tekhn.red.

[High-roadability tires for motor vehicles] Shiny dlia avtomo-
bilei povyshannoj perekhodimosti. Moskva, Gos.nauchno-tehn.izi-vo
krim.lit-ry, 1960, 71 p.
(Motor vehicles--Tires)

GALADZHEV, R.S.; ZAKHAROV, S.P.; KOVALEV, N.M.; GAFANOVICH, A.A.

Studying the reliability of pneumatic tires for loading machines.
Trakt. i sel'khozmash. no.11:23-25 N '64.

(MIRA 18:1)

1. GSKB Rostovskogo zavoda sel'skokhozyaystvennogo mashinostroyeniya
(for Galadzhev). 2. Nauchno-issledovatel'skiy institut shinnoy
promyshlennosti (for Kovalev). 3. Vsesoyuznyy nauchno-issledovatel'-
skiy institut sel'skokhozyaystvennogo mashinostroyeniya (for
Gafanovich).

YAKHAROV, S. P.

YAKHAROV, S.P. "Investigation of the Dynamics of the Tread of an Automobile Tire." Mir Higher Education USSR. Moscow Automobile and Auto Inst imeni V. M. Molotov. Moscow, 1956. (Dissertation for the Degree of Candidate in Technical Science)

SO: Knizhnaya Letopis', No. 19, 1956.

ZAKHAROV, S.P.

ZAKHAROV, S.P.

Method of measuring the pressure of the tire bead against the rim
of the wheel. Kauch. i rez. 16 no.8:30-31 Ag '57. (MIRA 10:11)

1. Nauchno-issledovatel'skiy institut shinnoy promyshlennosti.
(Tires, Rubber) (Pressure gauges)

ZAKHAROV, S.P.

12 1200 0nly 2211
15.9440

22019
S/145/61/000/003/004/006
D205/D304

AUTHORS: Locharov, N.F., Candidate of Technical Sciences,
Sharikyan, Yu.E., Candidate of Technical Sciences,
Kradinov, Ye.B., Engineer, Sakharov, Yu.N., Engineer,
Zakharov, S.P., Candidate of Technical Sciences, and
Abramova, E.Ye., Engineer

TITLE: Design of a fixture for moulding pneumatic rollers
size 1000 x 1000 x 250

PERIODICAL: Izvestiya vysshikh uchebnykh zavedeniy,
mashinostroyeniye, no. 3, 1961, 83 - 87

TEXT: Pneumatic rollers are special wide tires with a very small hub diameter (usually the width is 1 and the hub 1/4 of the outside diameter) designed to carry vehicles over bad terrain such as snow, soft sand and mud. In this respect they can compete with caterpillar machines. Due to the large support area, small hub and low internal pressure (0.1 to 1.0 kg/cm²) these rollers can be permitted

Card 1/4

22019


S/145/61/000/003/004/006
D205/D304

Design of a fixture ...

ted to deflect as much as 35 % of the profile. In the USSR testing of the rollers size 24 x 36 x 6" gave good results, but showed the need to increase the outside diameter, and the size 1000 x 1000 x 250 mm was designed. Equipment for vulcanizing ordinary tires could not be used and a new fixture had to be designed. The mounting drum for making these rollers is illustrated. It consists of 24 hollow sectors, 12 on each side, each of them is connected with the opposite sector by a plate. This drum is designed for use on machine SPD-A, on which it is fixed by means of the adaptor shown in Fig. 4.

Technical no AA-(Section along AA)

Fig. 4.



Card 2/4

22019


S/145/61/00/003/004/006
D205/D304

Design of a fixture ...

The press-form for vulcanizing the tube is given in Fig. 5.

Fig. 5.

Legend: 1 - Upper half;
2 - lower half; 3 - wedge;
4 - socket; 5 - standard cone
with internal thread; 6 - tube;
7 - plug; 8 - tire tube; 9 -
nut; 10 - insert; 11 - circular
clip; 12 - sealing ring; 13 -
wire net.



Card 3/4

22019

S/145/61/000/003/004/006
D205/D304

Design of a fixture ...

Superheated water is introduced through the tube in the face of the upper half of the press-form. The principle of this design is new. To obtain circular and longitudinal grooves wire 13 is hammered on the inner surface to protrude 0.5 mm. The press-form for vulcanizing the tire is constructionally similar to that for the tube, except that the upper and the lower halves are made in two parts. There are 6 figures.

ASSOCIATION: MVTU im. N.E. Bauman (Moscow Technological College (MVTU) im. N.E. Bauman; NIISRP (Scientific Research Institute of the Tire Industry)

SUBMITTED: April 14, 1960

Card 4/4

ANIKANOVA, K.F.; ZAKHAROV, S.P.; SELEZNEV, I.I.; FURMAN, P.Yu., red.;
ZAZUL'SKAYA, V.F., tekhn. red.

[Tires for tractors, tractor trailers, and agricultural
machines; reference materials] Shiny dlia traktorov, traktornykh
pritsepov i sel'skokhoziaistvennykh mashin; spravochnye materi-
aly. Moskva, Goskhimizdat, 1963. 51 p.
(Agricultural machinery—Tires) (MIRA 16:4)

TSUMERBERG, Solomon Maksimovich; ZAKHAROV, Sergey Petrovich; KENAKHOV,
Boris Viktorovich; ABRAMOV, Tilla Yefimovna; GUSCHO, V.M.,
red.; DONSEALI, G.D., tekhn.red.

[Tires for increasing the roadability of automobiles] Shiny,
povyshaiushchie prokhodimost' avtomobilja. Moskva, Nauchno-tekhn.
izd-vo Nauka avtomobil'nogo transporta i shosseinykh dorog RSFSR,
1959. 43 p.

(Automobiles--Tires)

(MIRA 12:12)

KOTEL'NIKOV, V.N., kand.tekhn.nauk; CHENTSOVA, E.I., kand.tekhn.nauk;
ZYBIN, Iu.P., doktor tekhn.nauk; KOCHETKOVA, T.S.; ZAKATOVA, N.D.,
kand.tekhn.nauk; GUBAREV, A.S., kand.tekhn.nauk; SEVETSOVA, T.P.,
inzh.; VOROB'IEVA, A.A., kand.tekhn.nauk; MIRSKIY, V.I., inzh.;
NISHEVICH, Ye.A., kand.tekhn.nauk; GOL'DSHTEIN, A.V., inzh.;
KALASHNIKOVA, T.A., inzh.; SHUST'ROVICH, M.L., kand.tekhn.nauk;
MOREKHODOV, G.A., inzh.; ZAKHAROV, S.R., retsenzent; BLAGOVESTOV,
B.K., retsenzent; STRONGINA, G.I., retsenzent; SHMIDT, M.I., re-
tsenzent; ZUYEV, V.T., retsenzent; KOSAREV, M.I., retsenzent;
STEPANOV, I.S., retsenzent; RAMU, S.N., retsenzent; PEVZNER, B.M.,
retsenzent; VEYNBERG, I.A., retsenzent; TURBIN, A.S., retsenzent;
SMIRNOVA, Ye.V., retsenzent; BUGOSLAVSKAYA, L.A., retsenzent;
GANNOVA, A.S., retsenzent; KHANIK, N.M., retsenzent; KURVANIDZE,
D.S., red.; PLEMYANIKOV, M.M., red.; GRACHEVA, A.V., red.; MEDVEDEV,
L.Ya., tekhn.red.

[Shoemaker's handbook] Spravochnik obuvshchika. Vol.1. Moskva,
Gos.nauchno-tekhn.izd-vo lit-ry po legkoi promyshl. 1958. 540 p.
(MIRA 12:4)

1.Gosudarstvennaya Ordona Lenina i Ordona Trudovogo Krasnogo Znameni
obuvnaya fabrika "Skorokhod" imeni Ya.Kalinina (for Zakharov, Blago-
vestov, Strongina, Shmidt, Zuyev, Kosarev, Stepanov, Ramu, Pevzner,
Veynberg, Turbin, Smirnova, Bugoslavskaya, Ganova, Khanik).
(Shoe manufacture)

"APPROVED FOR RELEASE: 03/15/2001

CIA-RDP86-00513R001963520018-6

ZAKHAROV, S.R.; UL'MAN, I.M.

On the path of technical progress. Kosz.-obuv.prom. no.2:
4-6 F '59. (MIBA 12:6)
(Shoe industry)

APPROVED FOR RELEASE: 03/15/2001

CIA-RDP86-00513R001963520018-6"

AUTHORS: Veynberg, I.A., Zakharov, S.R., Blagovestov, B.K.,
Slobodira, R.M., Kaminskiy, L.Yu., Steshov, I.I.,
Masalovich, A.I., Zuyev, V.T., Lytkin, T.S., Loganova,
S.A., Dantsig, L.Ya., and Surkova, O.K. SOV/19-58-6-610/685

TITLE: A Method of Shoe Production (Sposob izgotovleniya obuvi)

PERIODICAL: Byulleten' izobreteniy, 1958, Nr 6, pp 134-135
(USSR)

ABSTRACT: Class 71a, 16₀₁. Nr 113694 (590545 of 24 Jan 1958). Submitted to the Committee for Inventions and Discoveries at the Ministers Council of USSR. A method of making shoes, with the use of ready formed blank with glued-in counters and tips, and the insole attached along the entire periphery of the blank; increasing the production rate by using elastic counters and tips and hot vulcanizing them simultaneously with the vulcanization of the sole to the lower part of the shoe.

Card 1/1

ZAKHAROV, S.R.; ZHUKOV, A.P.


Potentialities in footwear manufacture. Leg.prom. 16 no.5;5-9
Ky '56. (MLA 9:8)

1. Direktor fabriki "Skorokhod" (for Zakharov); 2. Nachal'nik
PPO (for Zhukov).
(Leningrad--Shoe industry)

ZAIKHAROV, S.S.

CA

The use of copper slag on summer wheat. S. S. Zai-
kharov. Trudy Akademika Sel'skogo. Tom. 8, No. 30,
31-2 (1940); Chem. Zrav. 1940, II, 514.—The exptl. soil
was a loesslike, loamy podzol; the exptl. plant was summer
wheat sowed after potato, turnip or cabbage crops. The
best results were obtained with a dose of 300 kg. per ha.
of Cu slag used on an N-P-K base. The yield was 3103 kg.
of grain and 2080 kg. straw per ha. No effect of the
Cu slag could be detected in the subsequent crop, which
was a mixt. of vetch and oats. M. G. Miner



ZAKHAROV, S. S., Doc Agr Sci -- (diss) "Effectiveness of
field and fodder rotations on turf-podzolic clayey soils
in connection with liming." [Mos], 1957. 33 pp (Belorussian
Sci Res Inst of Agr, Acad Agr Sci BSSR), 100 copies (KL, 52-
57, 109)

- 80 -

ZAKHAROV, S.S., doktor sel'khoz. nauk, prof.; LARIIONENKO, V.B.,
kand. sel'khoz. nauk; NOVIKOVA, V.K.; TIMOFEEV, A.F.,
kand. sel'khoz. nauk, dots.; SKOROPANOV, S.G., akademik,
red.; GRACHEVA, V.S., red.; MAKHOVA, N.I., tekhn. red.;
TRUKHINA, O.N., tekhn. red.

[Fundamentals of agriculture and land improvement opera-
tions] Osnovy zemledeliia i kul'turtekhnicheskie raboty.
[By] S.S.Zakharov i dr. Mokva, Sel'khozizdat, 1963. 278 p.
(MIRA 17:1)

1. Prepodavatel' Pinskogo gidromeliorativnogo tekhnikuma
(for Novikova). 2. Akademiya nauk Belorusskoy SSR (for
Skoropanov).

"APPROVED FOR RELEASE: 03/15/2001

CIA-RDP86-00513R001963520018-6

ZAKHAROV, S. V.

ORECHUSHNIKOV, N.I., inzhener; ZAKHAROV, S.V., retsevzent; SHPAGIN, A.A.,
nauchnyy redaktor.

[Joinery on ships] Sudovye stoliarnye raboty. Leningrad, Gos. nauchno-
tekhn. izd-vo mashinostroit. i sudostroit. lit-ry [Leningradskoe otd-nie]
1954. 158 p.

(Joinery)

(KMLA 7:7)

APPROVED FOR RELEASE: 03/15/2001

CIA-RDP86-00513R001963520018-6"

The distribution of amino nitrogen between plasma and erythrocytes during storage of preserved blood. S. V. Gulyayev. *J. Physiol. U.S.S.R.* 27, 139 (2nd English translation). Storage of preserved blood results in a slight increase in the amino N of whole blood as compared with the initial value. In the case of erythrocytes the value is const. for 5-7 days and then decreases slightly.
S. A. Kurnik

The effect of procaine blockade on the biochemical indices in ulcerous patients. S. S. Akhmed-Akbarov, et al. (U. S. S. R.) 53, No. 2, p. 23 (1960 English, 1961). —The glutathione content of the blood of patients with stomach and duodenal ulcers increases by 2-7 mg. % in 1-3 days after novocaine blockade. Catalase activity is increased, and the amt. of incompletely oxidized org substances (detd. by titration of the urine with KMnO₄) excreted with urea decreases by 2-3 times. —S. A. K.

Ca

16

Amount and distribution of glycogen in blood in experimental hyper- and hypoglycemia. S. V. Zakharov
Biolicheskaya G, 254-91(1941).—More glycogen is found in the blood cells than in the plasma. The amt. and distribution of glycogen in the blood remains unaltered in exptl. hyper- and hypoglycemia. The blood glycogen concn. may vary, although the total carbohydrate metabolism may undergo no change; and vice versa, a shift in sugar metabolism may not be accompanied by a change in the glycogen concn. The determination of blood glycogen is of doubtful diagnostic value.

AEROLIA METALLURGICAL LITERATURE CLASSIFICATION

ZAKHAROV, S.V.

Characteristics of carbohydrate metabolism of the brain under
certain physiological and pathological conditions of the organism.
(MIRA 11:4)
Vop.med.khim. 4:139-147 '52.

1. Kafedra biokhimii Ivanovskogo meditsinskogo instituta.
(CARBOHYDRATE METABOLISM) (BRAIN)

ZAKHAROV, S.V.

Role of the cerebral cortex in the formation and development of
the hypoglycemic syndrome in hyperinsulinism. Zhur.vys.nerv.deiat.
5 no.3:430-437 My-Je '55. (MLRA 8:10)

1. Kafedra biokhimii Astrakhanskogo meditsinskogo instituta.
(INSULIN, effects,
on blood sugar after cerebral decortication in animals)
(CEREBRAL CORTEX, physiology,
eff. on decortication on blood sugar response to
insulin in animals)
(BLOOD SUGAR, effect of drugs on,
insulin, eff. of cerebral decortication on response in
animals)

ZAKHAROV, S.V., TATARINOV, Yu.S.

Mechanism of action of insulin. Report No.5: Effect of insulin on blood glucose content in dogs during electronarcosis [with summary in English]. Biul.eksp.biol. i med. 45 no.3:19-22 Mr'58 (MIRA 11:5)

1. Iz kafedry biologicheskoy khimii (zav. - dotsent S.V. Zakharov) Astrakhanskogo meditsinskogo instituta imeni A.V. Lunacharskogo (dir. - dotsent S.V. Zakharov). Predstavlena deystvitel'nym chlenom AMN SSSR V.N. Chernigovskim.

(INSULIN, effect.

on blood sugar in electronarcosis in dogs (Rus))

(BLOOD SUGAR, effects of drugs on,

insulin in electronarcosis in dogs (Rus))

(ELECTRONARCOSIS, effects,

on blood sugar reactivity to insulin (Rus))

ZAKHAROV, S.V.; GRIGOR'YEVA, Ye.A.; YAKOVLEVA, L.A.

Effect of the intravenous and subcutaneous administration of
royal jelly on glycemic changes in and glucose consumption
by the brain. Inform.biul. o mat.moloch. no.3:3-7 '62.
(MIRA 16:2)

1. Kafedra biokhimii (zav. prof. S.V. Zakharov) Yaroslavskogo
meditsinskogo instituta (dir. prof. N.Ye. Yarygin).
(ROYAL JELLY—PHYSIOLOGICAL EFFECT) (BRAIN)
(GLUCOSE METABOLISM)

ZAKHAROV, S.V.; BEYM, A.M.

Level of adrenalin-like substances in the blood of dogs in insulin
hypoglycemia. Probl. endok. i gorm. 10 no.1:86-91 Ja-F '64.
(MIRA 17:10)

1. Kafedra biokhimii (zav. - prof. S.V. Zakharov) Yaroslavskogo
meditsinskogo instituta.

ZAKHAROV, S.V.

Effect of serotonin on the blood sugar level and insulin effect.
Blul. oksp. biol. i med. 56 no.11:71-75 O [i.e. N] '63.

(MIRA 17:11)

1. Iz kafedry biokhimii (zav. - prof. S.V. Zakharov) Yaroslavskogo
meditsinskogo instituta. Predstavlena deystvitel'nym chlenom AMN SSSR
V.V. Parinym.

GELLER, L.I. (Ufa); ZAKHAROV, S.V., prof.

Clinical biochemist or a medical chemistry specialist?
Concerning A.V. Sigrist's article, "On the problem of
clinical biochemistry". Vop.med. khim. 8 no.5:550-552
S-0'62

(MIRA 17:4)

"APPROVED FOR RELEASE: 03/15/2001

CIA-RDP86-00513R001963520018-6

ZAKHAROV, S.V., prof.

Insulin and its use in diabetes. Med. sestra 22 no.9:28-31
S'63. (MILIA 16:10)

1. Iz Yaroslavskogo meditsinskogo instituta.
(DIABETES) (INSULIN)

APPROVED FOR RELEASE: 03/15/2001

CIA-RDP86-00513R001963520018-6"

ZAKHAROV, S.V. (Yaroslavl')

Fractional composition of blood proteins and the insulin effect
on the problem of the sensitivity of rabbits to insulin. Prof.
endok.i gorm. no.4:10-16 '62. (MIRA 15:11)

1. Iz kafedry bio'himii (zav. - prof. S.V. Zakharov) Yaroslavskogo
meditsinskogo instituta (dir. - prof. N.Ye. Yarygin).
(BLOOD PROTEINS) (INSULIN)

ZAKHAROV, S.V.

Conditioned reflex insulin hypoglycemia. Zhur. vys. nerv. deiat.
10 no.2:280-284 Mr-Ap '60. (MIR 14:5)

1. Chair of Biochemistry, Medical Institute, Astrachan.
(HYPOGLYCEMIA) (CONDITIONED RESPONSE) (INSULIN)

ZAKHAROV, S.V.

Insulin effect in novocainized animals. Probl. endok. 1 gorm. 6
no. 2:73-75 Mr-Ap '60.
(INSULIN) (NOVOCAIN)

(MIRA 14:1)

"APPROVED FOR RELEASE: 03/15/2001

CIA-RDP86-00513R001963520018-6

ZAKHAROV, S.V.; TATARINOV, Yu.S.

Fractional composition of serum proteins in hyperinsulinism. Probl.
endok. i gorm. 6 no. 4:96-99 Jl-Ag '60. (MIRA 14:1)
(BLOOD PROTEINS) (INSULIN SHOCK)

APPROVED FOR RELEASE: 03/15/2001

CIA-RDP86-00513R001963520018-6"

ZAKHAROV, S.V.

Country	: USSR	T
Category	Human and Animal Physiology, Internal Secretion	
Abs. Jour.	Ref Zhur Biol., No. 2, 1959, No. 8302	
Author	Zakharov, S.V.; Tatarinov, Yu.S.	
Institut.	-	
Title	The Mechanism of the Action of Insulin. Communication V. The Effect of Insulin on Blood Glucose Levels in the Dog during Electrosleep.	
Orig Pub.	Byul. eksperim. biol. i med., 1958, 45, No. 3, 19-22	
Abstract	Glycemia in dogs during electrosleep remained substantially unchanged. When insulin (1--10 units/kg) was injected, hypoglycemia was noted. Electrosleep exerted no effect on the degree of hypoglycemia, but prevented the occurrence of convulsions, in spite of the fact that blood sugar was lowered to 30--40 mg% (in awake animals convulsions occurred 2--3 hours after the injection of insulin). Within 1 to 2 hours after electrosleep was terminated (5--6 hours after the injection of insulin) signs of hyperinsulinism developed, i.e., salivation, panting, adynamia; convulsions were occasionally seen.	
Card:	1/1	

ZAKHAROV, S.V., prof. (Astrakhan')

Effect of rays on glucose and lactic acid levels in the blood flowing
to and from the brain. Med. rad. 4 no.3:77-79 Mr '59. (MIHA 12:7)

(ROENTGEN RAYS, effects,

on brain blood glucose & lactic acid in dogs (Rus))

(BLOOD SUGAR, effect of radiations,

x-rays on cerebral blood in dogs (Rus))

(LACTATES, in blood

eff. of x-rays on lactic acid in cerebral blood in dogs (Rus))

ZAKHAROV, S. V. Doc Med Sci -- (diss) "On the Role of the Central
Nervous System in the Mechanism of Action of Insulin." Kuybyshev,
1957. 16 pp 20 cm. (Kuybyshev State Medical Inst), 200 copies
(KL, 27-57, 109)

- 69 -

"APPROVED FOR RELEASE: 03/15/2001

CIA-RDP86-00513R001963520018-6

ZAKHAROV, S.Ye., vitse-admiral

Preparing officer cadres to meet modern requirements. Mor.sbor.
(MIRA 1614)
46 no.5:8-13 Ny '63.
(Russia—Navy—Officers)

APPROVED FOR RELEASE: 03/15/2001

CIA-RDP86-00513R001963520018-6"

ZAKHAROV, V.

Concrete

Wall blocks and finish from slag-concrete
Zhil. -kom. khoz. 2 no. 2:12-17 F '52

Monthly List of Russian Accessions, Library of
Congress, July 1952. Unclassified

ZAKHAROV

Improvement of public areas in the city of Tikhvin. Zhil.-kon.
khoz. 8 no. 9:11-12 '58. (MIRA 11:10)

1. Zaveduyushchiy otdelom kommunal'nogo khozyaystva Tikhvinskogo
gorodskogo Soveta deputatov trudyashchikhsya.
(Tikhvin--Landscape gardening)

"APPROVED FOR RELEASE: 03/15/2001

CIA-RDP86-00513R001963520018-6

APPROVED FOR RELEASE: 03/15/2001

CIA-RDP86-00513R001963520018-6"

ZAKHAROV, V.

PA 4/49137

USSR/Radio, Amateur
Radio - Training

Apr 48

"Correspondence School Radio Clubs," V. Zakharov,
Kiev, 1 p

"Radio" No 4

Discusses operation of subject clubs, one method
whereby Central Radio Club is obtaining numerous
future radio technicians by training young amateurs.
This program under direct cognizance of the New
Children's Tech Sta has had a very successful year.

4/49137

USSR/Electronics - Transmitters

Card

Author : T. ZAKHAROV, V., Radio Station UA2FU (YA3ΦY)

Title : A simple-type ultrashort-wave transmitter

Periodical : Radio 7, 25-27, July 1954

Abstract : The design of a simple, single-tube UHF transmitter, operating in the 144 MHz band, is described. The circuit consists of an oscillator, a power amplifier, and a modulator. The oscillator circuit is "inductance-coupled" with the antenna. A variable capacitor is used for frequency selection. The power amplifier is a triode. The modulator is a diode. The transmitter is fed from a battery, as well as the detector, which is connected to the antenna.

Approved by:

Submitted : ...

"APPROVED FOR RELEASE: 03/15/2001

CIA-RDP86-00513R001963520018-6

KLIMASHIN, A.; ZAKHAROV, V.

August 10-11, the second "field day." Radio no. 4:10-11 Ap '57.
(MUSA 10:5)
(Radio, Shortwave--Competitions)

APPROVED FOR RELEASE: 03/15/2001

CIA-RDP86-00513R001963520018-6"

ZAKHAROV, V., starshiy tekhnich-leytenant

A variable resistor helped. Voen.svias. 16 no.4:43 Ap '58.
(MIRA 11:4)

(Radio--Study and teaching)

1 2507-66 ERN(fair) RER-2/ERN(1)/ERN(2)/ERN(3)/ERN(4)...2/ERN(d)/ERN(v)/ERN(t)/T/ERN(h)/

ACC NR: Aviatsiya i kosmonavtika, no. 4, 1966, 28-31
SUB CODE: 13 / ORIG RFF: 000 / OTH REF: 000

ORG: None

TITLE: Lunar transport

SOURCE: Aviatsiya i kosmonavtika, no. 4, 1966, 28-31

TOPIC TAGS: moon, ~~transport equipment~~, lunar surface equipment,

ABSTRACT: An illustrated description of various vehicles, imagined, designed or modeled for the eventual use on the moon surface, was presented. Fig. 4 shows a four-wheel vehicle system equipped with a flexible plate system.

Fig. 4 in Fig. 4 is equipped with ribbon-like flexible plates actuating the motion and protecting the vehicle from overturning. Fig. 5 shows a four-wheel motor vehicle ready to go to the moon while in Fig. 6, the preference is given to an interesting wheelless walking design. Fig. art. nos. 1-fig. 6.

SUB CODE: 13 / SUBM DATE: None / ORIG RFF: 000 / OTH REF: 000

Card 1/1 End

2

ZAKHAROV, V.

By the target, place, and time. Voen. znan. 41 no.9:24-25 S 165.
(MIRA 18:10)

CHUKOV, S.; ZAKHAROV, V.

Operations in a nuclear stricken area. Voen. znan. 40 no.7
23-25 JI '64 (MIRA 17:8)

"APPROVED FOR RELEASE: 03/15/2001

CIA-RDP86-00513R001963520018-6

ZAKHAROV, V., podpolkovnik, voyennyy letchik pervogo klassa;
SOLOTOV, Yu., mayor, voyennyy letchik pervogo klassa

Attack of an air target. How has it been executed? Av. i
(MIRA 17:3)
kozm. 46 no.3:11-16 Mr '64.

APPROVED FOR RELEASE: 03/15/2001

CIA-RDP86-00513R001963520018-6"

ZAKHAROV, V.

Important problems of bank and enterprise operations. Den. 1 kred.
21 no.9:55-57 S '63. (MIRA 16:10)

1. Upravlyayushchiy Magnito gorskim otdeleniyem Gosbanka.

MIT'KO, V.I.; ZAKHAROV, V., elektromekhanik

Eliminate shortcomings in KPS-2/3 commutators. Avtom., telem.i
svyazi 7 no.341 Mr '63. (MIRA 16:2)

1. Starshiy elektromekhanik Kurskoy distantsii signalizatsii i
svyazi Moskovskoy dorogi (for Mit'ko). 2. Smolenskaya
distantsiya signalizatsii i svyazi Moskovskoy dorogi (for
Zakharov).

(Railroads--Communication systems)
(Railroads--Electronic equipment)

ANDREYEV, Ye.; ZAKHAROV, V., inzh.

Follow-up on an invention. Nauka i shisn' 29 no.9:98-99 3 '62.
(MIRA 15:10)

1. Nachal'nik otdela Nauchno-issledovatel'skogo institut tekhnologii i organizatsii proizvodstvi (for Andreyev). 2. TSentral'-noye tyuro tekhnicheskoy informatsii Mosgorsovnarkhoza.

(Desks)

ANDREYEV, Ye.; ZAKHAROV, V., inzh.

Sectional equipment for a working place. Nauka i zhizn' 29
no.1:110-111 Ja '62. (MIRA 15:3)

1. Nachal'nik konstruktorskogo byuro Nauchno-issledovatel'skogo
instituta tekhnologii i organizatsii proizvodstva (for Andreyev).
(Factories--Equipment and supplies)

ANDREYEV, Ye.; ZAKHAROV, V.

Work area of a designer. Nauka i zhizn' 28 no.10:106-109 3 '61.
(MIRA 15:1)

1. Nachal'nik konstruktorskogo byuro Nauchno-issledovatel'skogo
instituta tekhnologii i organizatsii proizvodstva (for Andreyev).
(Mechanical drawing)